

Wako

Anti Human Atg7, Rabbit

抗ヒト Atg7, ウサギ

Rabbit Anti Human Atg7 antiserum was raised against the synthetic peptides corresponding to the amino acid residues 556-571 (VVAPGDSTRDRTLDDQQ) of human Atg7. The synthetic peptides were chemically coupled with KLH and immunized in rabbits. The antiserum reacts with human, rat and mouse Atg7. For Western blotting, the antiserum can be diluted 1,000-fold in 1% BSA dissolved in 20 mmol/L Tris-HCl (pH 7.5)-0.15 mol/L NaCl-0.1% Tween 20-0.1% NaN_3 (TTBS- NaN_3). The diluted antibody solution can be used in Western blotting for at least 6 months. Inclusion of 0.1% Tween 20 is recommended to obtain lower background when the antibody reactivity is detected in chemiluminescence.

This product is for laboratory use only ; use in any such application is the responsibility of the user.

Preparation : Antiserum contains no preservatives and stabilizers.

Specificity : Specific for human, rat and mouse.

Working Concentration : Western blotting 1 : 1,000

Diluent : 1% BSA dissolved in 20 mmol/L Tris-HCl (pH 7.5)-0.15 mol/L NaCl-0.1% Tween 20-0.1% NaN_3 (TTBS- NaN_3)

Storage : Store at -20°C .

After opening aliquot contents and freeze at -20°C .

Package : 50 μ L

Wako Pure Chemical Industries, Ltd.

1-2, Doshomachi 3-Chome, Chuo-Ku, Osaka 540-8605, Japan

Telephone : +81-6-6203-3741

Facsimile : +81-6-6201-5964

<http://www.wako-chem.co.jp>

Wako Chemicals USA, Inc.

1600 Bellwood Road

Richmond, VA 23237

U.S.A.

Telephone : +1-804-271-7677

Facsimile : +1-804-271-7791

<http://www.wakousa.com>

Wako Chemicals GmbH

Fuggerstrasse 12

D-41468 Neuss

Germany

Telephone : +49-2131-311-0

Facsimile : +49-2131-311100

<http://www.wako-chemicals.de>